

# MC 990 LF

Alkaline Spray Detergent  
*Technical Data*

## GENERAL DESCRIPTION

**MC 990 LF** is a controlled, low foam, heavy-duty detergent for use in spray wash applications on ferrous metals. It contains no chelants, glycol ethers, or other solvents. **MC 990 LF** has an in-process corrosion inhibitor that will protect ferrous metal from flash rusting for 3-7 days. **MC 990 LF** is free rinsing and can be filtered to extend bath life.

## NORMAL USE

This product is diluted with water before usage. Determine the proper ratio based on the volume of the tank.

For light-duty soil removal, mix **MC 990 LF** at 3% to 5% with water.

For heavy-duty soil removal, mix **MC 990 LF** at 5% to 8% with water.

Operating temperatures are 130° to 180° F.

## ADVANTAGES

1. Water based cleaner.
2. Biodegradable.
3. Useful over a wide range of applications and operating conditions.
4. In-process corrosion protection.
5. Excellent rinsability.

## NORMAL CONTROL

**Analytical Method** (Equipment available from Chautauqua Chemicals Co.)

## HANDLING AND SAFETY CONSIDERATIONS

Consult MSDS sheet on this product for handling considerations, hazard information, and first aid procedures.

## OTHER INFORMATION

*No warranty, expressed or implied of merchantability fitness for a particular purpose or otherwise, is made. Buyer assumes all risk of use, storage and handling. Chautauqua Chemicals Company, Inc. shall not be made liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, storage, handling or disposal of this product.*

TDS Number:  
Revision Date:

50630C  
July 23, 2014

